

Three Phase Commercial Condenser Fan Open Dripproof, Air Over




APPLICATIONS:

Designed to meet manufacturer's requirements for condenser cooling fans in commercial air conditioning applications where 3 phase power is required.

FEATURES:

- Automatic Reset Thermal Overload Protector
- Reversible Rotation
- Continuous Duty, Air Over
- Double-Sealed Ball Bearings
- Dual Voltage
- Class B Insulation
- 140°F (60°C) Ambient Rated
- Shaft-up Mounting
- **Discount Symbol: DS-3HAC**



Belly Band Mount, Flat and Keyway on Shaft

HP	RPM	Volts	Catalog Number	List	Bearings	NEMA Frame	Amps	Shaft Length (N)	Shaft Dia. (U)	SF	Total Length (C)	Ship Wgt.	Notes	OEM
3/4	1140	208-230/460	1817	\$389	Ball	56YZ	3.6/1.8	6.0	.625	1.00	16.8	28		
1	1140	200-230/460	1818	\$411	Ball	56YZ	4.8/2.4	6.0	.625	1.00	16.8	29		
	1140	200-230/460	1816	\$417	Ball	56YZ	6.0/3.0	3.0	.625	1.00	13.6	35		CA
	1140	200-230/460	1326	\$485	Ball	48YZ	3.5-3.3/1.7	5.0	.500	1.00	14.5	19		DB
	1140	200-230/460	8058	\$462	Ball	48YZ	3.6/1.8	3.4	.625	1.00	13.7	30		LE
	850	208-230/460	1828	\$542	Ball	56YZ	5.0/2.5	6.0	.625	1.00	17.2	33		
	850	575	1829	\$696	Ball	56YZ	2.1	6.0	.625	1.00	17.2	33		
1-1/2	1140	208-230/460	1819	\$453	Ball	56YZ	7.1/3.6	6.0	.625	1.00	16.8	36		
2	1140	208-230/460	8987	\$492	Ball	56YZ	7.8/3.9	6.0	.625	1.00	16.8	43		

CA = Carrier DB = Dunham Bush LE = Lennox

Rigid Base Mount, Flat and Keyway on Shaft

HP	RPM	Volts	Catalog Number	List	Bearings	NEMA Frame	Amps	Shaft Length (N)	Shaft Dia. (U)	SF	Total Length (C)	Ship Wgt.	Notes	OEM
1	1140	208-230/460	1820	\$411	Ball	56YZ	4.8/2.4	6.0	.625	1.00	16.8	32		
1-1/2	1140	208-230/460	1821	\$458	Ball	56YZ	7.2/3.6	6.0	.625	1.00	16.8	39		
2	1140	208-230/460	1822	\$500	Ball	56YZ	7.8/3.9	6.0	.625	1.00	17.3	45		